


END ELEVATION.



1. <u>Handling.</u>

- Volume of Standard block is 0.805m3 & a weight of 1892 kg (based on 2350 kg/m³)
- Lifting system is by means of a 180mm long spherical pin anchor rated at 5.0 tonnes with an F.O.S. of 3.
- Lifting is achieved by use of 3No 2.5T rated pin anchors ring clutch or combination ring clutch only and should comply with the Lifting Operation & Lifting Equipment Regulations 1998. (LOLER)

2. Concrete.

- Characteristic 28 day cube strength = 50 N/mm² min.
- Concrete is Class A1 Fire Resistant in accordance with clause 4.3.4.4 of EN 13369.

3. Manufacture.

Manufactured to BS EN 13369: 2013
 Tolerances to BS EN 13670: 2009

4. Physical & Chemical Properties.

- Appearance: Grey in Colour.
- Other Chemical Properties: Not Applicable.

5. Manufacture Tolerances.

Length: ± 5mm
Width: ± 5mm
Height: ± 5mm

DO NOT SCALE USE FIGURED DIMENSIONS ONLY.
ALL DIMENSIONS TO BE CHECKED ON SITE.
A.P.C TO BE INFORMED OF ANY DISCREPANCIES BEFORE WORK PROCEEDS.

ELEVATION.

© COPYRIGHT: APC Civils Ltd.
This drawing or any part thereof may not be copied or otherwise reproduced without the written permission of APC Civils Ltd.

Revision: Description: Project Sheet Size: Drawn By: Date: Α3 TECHNICAL DATA SHEET. Drawing Scale: Title: 1:20 **PROGRESS** Precast Concrete Seat. Drawn By: **PRINT** N.D. Drawing No: Revision: Date: Checked By: **APC-926** 04/07/2023



Plot B, Old Dalby Business Park, Station Road, Old Dalby, Melton Mowbray, LE14 3NJ Tel. 01949 838647 Email. info@apccivils.co.uk www.apccivils.co.uk